



ORIGINAL EVALUATION

INSTITUTION: Klinikum der Universität München
Munich GE 80336

CAP NUMBER: 8481165-01 **Kit Sequence:** 2

COPIED TO: CAP

Fidi

20 OCT 2025

Date _____

Page 1 of 2



**COLLEGE of AMERICAN
PATHOLOGISTS**
325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-4040 • cap.org

CAP Number: 8481165-01 **Kit Sequence 2**
Institution: Klinikum der Universitat Munchen
Attention: Tim Kuehnle PhD
City / State: Munich GE 80336

Kit #: 38562725
Kit Mailed: 9/15/2025
Original Evaluation: 10/17/2025

**EVALUATION
ORIGINAL**

LS-B 2025 Ligand Special (RAP)

Test Unit of Measure Peer Group	Evaluation and Comparative Method Statistics									Plot of the Relative Distance of Your Results from Target as Percentages of allowed Deviation Survey -100-----Mean-----+100
	Specimen	Your Result	Mean	S.D.	No. of Labs	S.D.I	Limits of Acceptability Lower Upper		Your Grade	
Aldosterone ng/dL DIASORIN LIAISON	RAP-04	40.00	38.822	3.502	98	+0.3	28.31	49.33	Acceptable	LS-B 2025 LS-A 2025
	RAP-05	16.90	15.610	1.623	97	+0.8	10.74	20.49	Acceptable	
	RAP-06	93.30	88.667	7.786	94	+0.6	65.30	112.03	Acceptable	
Renin, direct DIASORIN LIAISON uU/mL	RAP-04	124.8	139.35	25.01	41	-0.6	64.3	214.4	Acceptable	LS-B 2025 LS-A 2025
	RAP-05	12.7	12.25	1.29	42	+0.3	8.3	16.2	Acceptable	
	RAP-06	93.7	104.89	15.87	43	-0.7	57.2	152.6	Acceptable	

The College of American Pathologists recommends that the result of this interlaboratory comparison not be used as a sole criterion for judging the performance of any individual clinical laboratory.