



**COLLEGE of AMERICAN
PATHOLOGISTS**

325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-4040 • cap.org

ORIGINAL EVALUATION

Y-C 2025 Sex Hormones (Y)

INSTITUTION: Klinikum der Universitat Munchen
Munich GE 80336

ATTENTION: Tim Kuehnle PhD

CAP NUMBER: 8481165-01 **Kit Sequence:** 1

KIT INFORMATION:	Kit #:	Kit Mailed:	Original Evaluation:	Next Mailing Date:
	38774961	12/15/2025	1/20/2026	4/20/2026

COPIED TO: CAP

LEGEND: **Exception Reason Codes appearing in this evaluation:**
[20] = Response was not formally graded due to insufficient peer group data. Please see the participant summary for additional information.

TIM KUEHNLE

Reviewed By

22 JAN 2026

Date

The College of American Pathologists recommends that the result of this interlaboratory comparison not be used as a sole criterion for judging the performance of any individual clinical laboratory.



**COLLEGE of AMERICAN
PATHOLOGISTS**
325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-4040 • cap.org

CAP Number: 8481165-01 Kit Sequence 1
Institution: Klinikum der Universitat Munchen
Attention: Tim Kuehnle PhD
City / State: Munich GE 80336

Kit #: 38774961
Kit Mailed: 12/15/2025
Original Evaluation: 1/20/2026

**EVALUATION
ORIGINAL**

Y-C 2025 Sex Hormones (Y)

Test Unit of Measure Peer Group	Evaluation and Comparative Method Statistics									Plot of the Relative Distance of Your Results from Target as Percentages of allowed Deviation	
	Specimen	Your Result	Mean	S.D.	No. of Labs	S.D.I	Limits of Acceptability Lower Upper		Your Grade	Survey	-100-----Mean-----+100
Androstenedione ng/dL OTHER	Y-11	53.80			8					See Note [20]	
	Y-12	32.10			7					See Note [20]	
	Y-13	254.00			10					See Note [20]	
	Y-14	138.00			10					See Note [20]	
	Y-15	101.00			10					See Note [20]	
DHEA Sulfate ug/dL OTHER	Y-11	69.5			11					See Note [20]	
	Y-12	60.3			11					See Note [20]	
	Y-13	509.9			11					See Note [20]	
	Y-14	248.0			11					See Note [20]	
	Y-15	193.5			11					See Note [20]	
Growth Hormone ng/mL (ug/L) IDS i10, iSYS	Y-11	11.0	10.98	0.31	13	+0.1	10.0	12.0	Acceptable		
	Y-12	6.1	5.81	0.32	14	+0.9	4.8	6.8	Acceptable		
	Y-13	21.4	21.59	0.42	13	-0.5	20.3	22.9	Acceptable		
	Y-14	15.7	15.91	0.40	14	-0.5	14.7	17.2	Acceptable		
	Y-15	14.1	14.05	0.34	13	+0.2	13.0	15.1	Acceptable		
17-Hydroxyprogesterone ng/dL IDS i10, iSYS	Y-11	92.0			9					See Note [20]	
	Y-12	56.0			9					See Note [20]	
	Y-13	441.0	401.80	58.41	10	+0.7	226.5	577.1	Acceptable		
	Y-14	255.0	224.60	42.41	10	+0.7	97.3	351.9	Acceptable		
	Y-15	188.0	167.70	39.87	10	+0.5	48.0	287.4	Acceptable		

The College of American Pathologists recommends that the result of this interlaboratory comparison not be used as a sole criterion for judging the performance of any individual clinical laboratory.



**COLLEGE of AMERICAN
PATHOLOGISTS**
325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-4040 • cap.org

CAP Number: 8481165-01 **Kit Sequence 1**
Institution: Klinikum der Universitat Munchen
Attention: Tim Kuehnle PhD
City / State: Munich GE 80336

Kit #: 38774961
Kit Mailed: 12/15/2025
Original Evaluation: 1/20/2026

**EVALUATION
ORIGINAL**

Y-C 2025 Sex Hormones (Y)

Test Unit of Measure Peer Group	Evaluation and Comparative Method Statistics									Plot of the Relative Distance of Your Results from Target as Percentages of allowed Deviation Survey -100-----Mean-----+100
	Specimen	Your Result	Mean	S.D.	No. of Labs	S.D.I	Limits of Acceptability Lower Upper		Your Grade	
IGF-1 ng/mL IDS i10, iSYS	Y-11	27.0	28.74	3.01	26	-0.6	19.7	37.8	Acceptable	
	Y-12	15.0	16.51	2.21	25	-0.7	9.8	23.2	Acceptable	
	Y-13	61.0	60.32	5.75	26	+0.1	43.0	77.6	Acceptable	
	Y-14	42.0	41.90	4.79	26	0.0	27.5	56.3	Acceptable	
	Y-15	33.0	35.86	3.45	25	-0.8	25.5	46.2	Acceptable	
SHBG nmol/L nmol/L OTHER	Y-11	16.69			10				See Note [20]	
	Y-12	11.22			11				See Note [20]	
	Y-13	36.92			11				See Note [20]	
	Y-14	26.15			11				See Note [20]	
	Y-15	20.44			11				See Note [20]	
Testosterone ng/dL OTHER	Y-11	111.2			2				See Note [20]	
	Y-12	72.0			2				See Note [20]	
	Y-13	711.9			2				See Note [20]	
	Y-14	366.8			2				See Note [20]	
	Y-15	259.5			2				See Note [20]	

The College of American Pathologists recommends that the result of this interlaboratory comparison not be used as a sole criterion for judging the performance of any individual clinical laboratory.



**COLLEGE of AMERICAN
PATHOLOGISTS**

325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-4040 • cap.org

CAP Number: 8481165-01 **Kit Sequence 1**
Institution: Klinikum der Universitat Munchen
Attention: Tim Kuehnle PhD
City / State: Munich GE 80336

Kit #: 38774961
Kit Mailed: 12/15/2025
Original Evaluation: 1/20/2026

EVALUATION
ORIGINAL

Y-C 2025 Sex Hormones (Y)

CAP

CAP #: 8481165 **Subspecialty :** Endocrinology

Regulated Analyte	Proficiency Event 2025 1			Proficiency Event 2025 2			Proficiency Event 2025 3			Current Event Performance Interpretation	Cumulative CLIA '88 Performance Interpretation
	Test Event	Score	%	Test Event	Score	%	Test Event	Score	%		
Cortisol	K-A	5/5	100	K-B	5/5	100	K-C	5/5 [^]	100	Satisfactory	Successful
Testosterone	Y-A	5/5	100	Y-B	5/5	100	Y-C	5/5	100	Satisfactory	Successful
Endocrinology		10/10	100		10/10	100		10/10	100	Satisfactory	Successful

<^> This score is taken from another kit.